A plication No. 10/023,698

## Amendment to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

1-32. Canceled.

- 33. (Currently Amended) A network device for connection in a communication path of a network comprising a controller operable to detect, along the communication path, a predetermined tag within content passed along the communication path and to report the detection together with information identifying a sender and/or recipient of the content.
- 34. (Currently Amended) A method of monitoring content transmitted by a network comprising detecting, along a communication path, a predetermined tag wit in content transmitted through the network and reporting the detection together with ir formation identifying a sender and/or recipient of the content with a network device.
- 35. (Previously Presented) A computer program product stored in ε computer readable medium for carrying out the method according to claim 34 in a processor in the network which when executing causes the processor to perform the steps of:

detecting a predetermined tag within the content by the network; and reporting the detection together with information identifying at least one of a sender of the content and a recipient of the content.

36. (Currently Amended) A system for monitoring transmission of content between terminals in a network comprising a network device located in a communication path in the network and a monitoring center connected to the device wherein a controller is included in the device which is operable to detect, along the communication path, a predetermined tag within content in the communication path and to report the detection of the predetermined tag together PAGE 7/15\* RCVD AT 8/25/2006 5:09:33 PM [Eastern Daylight Time]\* SVR:USPTO-EFXRF-2/7\* DNIS:2738300\* CSID:13124635001\* DURATION (mm-ss):07-00

A plication No. 10/023,698

- 37. (Previously Presented) A system as claimed in Claim 36, wherein the monitoring center is operable to receive reports from a plurality of networks each having at least one controller.
- 38. (Previously Presented) A system as claimed in Claim 36, compaising a billing entity connected to the center.
- 39. (Withdrawn) A revenue collection system for collecting revenue for content passing through a network, comprising a network device located in a communication path of the network and a monitoring center connected to the network device wherein the network device is operable to detect a predetermined tag within content and to report the detection together with information identifying a sender and/or recipient of the content to the center, the center being operable to issue a request to a hilling entity to carry out a transaction in relation to the sender and/or debiting an account of the sender and/or recipient.
- 41. (Previously Presented) A system as claimed in Claim 34, wherein the information includes a network identity such that the center issues the request to a billin; entity responsible for the identified network.
- 42. (Withdrawn) A revenue collection method for collecting revenue due on predetermined content transmitted over a network comprising detecting the predetermined content in a path of transmission in the network with a network entity which obtains an address of a sender and/or recipient of the content and requests a billing entity to carry out a transaction in relation to the sender and/or recipient.
- 43. (Withdrawn) A method as claimed in Claim 42, wherein the transaction comprises debiting an account of the sender and/or recipient.

Application No. 10/023,698

- 44. (Withdrawn) A method as claimed in Claim 42, comprising preliminarily determining which revenue from content is to be collected by associating a ag with the content prior to making the content available for transmission.
- 45. (Withdrawn) A method as claimed in Claim 44, wherein the prodetermined content is stored on a data carrier.
- 46. (Currently Amended) A method of transmitting a message incorporating content including an embedded tag from a terminal connected to a network using a network device along a communication path, in accordance with claim 33 the method comprising, obtaining content, placing the content and a tag into a payload portion of the message, and transmitting the message over the network including the device.
- 47. (Previously Presented) A method as claimed in Claim 46, wherein the content is obtained by downloading from a server.
- 48. (Previously Presented) A method as claimed in Claim 46, wherein the content is obtained from a data carrier uploading from a player of the data carrier.
- 49. (Previously Presented) A method as claimed in Claim 46, wherein the message comprises at least one packet.
- 50. (Previously Presented) A method as claimed in claim 49, wher in the tag is embedded in the at least one packet.
- 51. (Withdrawn) A method of creating content for controlled distribution over a network using a network device in accordance with claim 39 comprising, generating content, determining a right holder and updating a corresponding right holder record with information regarding the content.

Application No. 10/023,698

- 52. (Previously Presented) A computer program which performs the method of claim 34 stored in a computer readable medium comprising executable code for execution when loaded on a controller within the network, wherein the controller is operable in accordance with the code.
- 53. (Withdrawn) A computer program which performs the method of claim 42 stored in a computer readable medium comprising executable code for execution when loaded on a controller within the network, wherein the controller is operable in accordance with the code.
- 54. (Previously Presented) A computer program which performs the method of claim 46 stored in a computer readable medium comprising executable code for execution when loaded on a controller within the network, wherein the controller is operable in accordance with the code.
- 55. (Withdrawn) A computer program which performs the method of claim 51 stored in a computer readable medium comprising executable code for execution when loaded on a controller within the network, wherein the controller is operable in accordance with the code.
- 56. (Previously Presented) A method of generating a control message by a network device, along a communication path, to be sent to a monitoring center connected to the device, the control message indicating passing of content having a predetermined tag embedded within the content through the network device, the control message comprising an identification of the content originating device, a destination address for the content, and a flag c eated by the network device.
- 57. (Previously Presented) A method as claimed in Claim 56, wherein the flag identifies the network device.